

Thursday, May 03, 2012

Attn: Mr. Mike Susca Leggette, Brashears & Graham 6 Executive Drive Farmington CT 06030

Project ID: DELL

Sample ID#s: BB78032, BB78034 - BB78036, BB78039, BB78041, BB78049 - BB78050,

BB78053

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

NELAC - #NY11301 CT Lab Registration

CT Lab Registration #PH-0618 MA Lab Registration #MA-CT-007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003 NY Lab Registration #11301 PA Lab Registration #68-03530

RI Lab Registration #63

VT Lab Registration #VT11301



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID**

Location Code: LBG-FARM Standard

Rush Request:

P.O.#:

Project ID:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

SW

see "By" below

04/27/12

9:52

Time

Date

04/26/12

14:34

SDG ID: GBB78031

Phoenix ID: BB78032

DELL

5B 5-6 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	92		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	340	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	05/01/12		MH	30 - 150 %
% TCMX	77		%	05/01/12		MH	30 - 150 %

Page 1 of 18 Ver 1 Project ID: DELL Phoenix I.D.: BB78032
Client ID: 5B 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 2 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: SOLID

Location Code: LBG-FARM

Rush Request: Standard

P.O.#:

<u>Custody Information</u>

Collected by: Received by:

SW

ı

04/26/12 04/27/12

Date

9:54

Time

04/27/1

14:34

Analyzed by: see "By" below

Laboratory Data

SDG ID: GBB78031

Phoenix ID: BB78034

Project ID: DELL
Client ID: 5B 7-8

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	370	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	115		%	05/01/12		MH	30 - 150 %
% TCMX	94		%	05/01/12		MH	30 - 150 %

Page 3 of 18 Ver 1

Client ID: 5B 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 4 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

<u>Sample Information</u> <u>Custody Information</u> <u>Date</u> <u>Time</u>

Matrix: SOLID Collected by: 04/26/12 10:16 Location Code: LBG-FARM Received by: SW 04/27/12 14:34

Rush Request: Standard Analyzed by: see "By" below

P.O.#: SDG ID: GBB78031

Phoenix ID: BB78035

Project ID: DELL

Client ID: 2C 0.25-0.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	97		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	340	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	121		%	05/01/12		MH	30 - 150 %
% TCMX	106		%	05/01/12		MH	30 - 150 %

Page 5 of 18 Ver 1

Client ID: 2C 0.25-0.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 6 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

SOLID

Location Code: LBG-FARM

Rush Request: Standard

P.O.#:

Matrix:

<u>Custody Information</u>

Collected by: Received by:

Analyzed by:

SW

04/26/12

10:17

Time

04/27/12

Date

14:34

see "By" below

Laboratory Data

SDG ID: GBB78031 Phoenix ID: BB78036

Project ID:

DELL

Client ID:

2C 0.5-0.75

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	880	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	114		%	05/01/12		MH	30 - 150 %
% TCMX	104		%	05/01/12		MH	30 - 150 %

Page 7 of 18 Ver 1

Client ID: 2C 0.5-0.75

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 8 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information

Matrix: **SOLID**

Location Code: LBG-FARM Rush Request: Standard

P.O.#:

Date Collected by: 04/26/12

Received by: SW

Analyzed by: see "By" below

Laboratory Data SDG ID: GBB78031

Phoenix ID: BB78039

04/27/12

Time

10:25

14:34

DELL Project ID: 2C 5-6 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	370	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	970	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	78		%	05/01/12		MH	30 - 150 %
% TCMX	74		%	05/01/12		MH	30 - 150 %

Page 9 of 18 Ver 1

Client ID: 2C 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 10 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information

Matrix: **SOLID**

Location Code: LBG-FARM Standard

Rush Request:

P.O.#:

Project ID:

Custody Information

Laboratory Data

Collected by: Received by:

Analyzed by:

SW

see "By" below

04/26/12 04/27/12 10:28

Time

Date

14:34

SDG ID: GBB78031

Phoenix ID: BB78041

DELL

2C 7-8 Client ID:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	370	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	510	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	05/01/12		MH	30 - 150 %
% TCMX	84		%	05/01/12		MH	30 - 150 %

Page 11 of 18 Ver 1

Client ID: 2C 7-8

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 12 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

Sample Information Custody Information Date

Matrix: SOLID Collected by: 04/26/12 10:55 Location Code: LBG-FARM Received by: SW 04/27/12 14:34

Rush Request: Standard Analyzed by: see "By" below

Laboratory Data SDG ID: GBB78031

Phoenix ID: BB78049

Time

Project ID: DELL

P.O.#:

Client ID: 3C 0.25-0.5

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	93		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	350	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	390	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	90		%	05/01/12		MH	30 - 150 %
% TCMX	95		%	05/01/12		MH	30 - 150 %

Page 13 of 18 Ver 1

Client ID: 3C 0.25-0.5

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 14 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

6 Executive Drive Farmington CT 06030

<u>Sample Information</u> <u>Custody Information</u> <u>Date</u> <u>Time</u>

Matrix: SOLID Collected by: 04/26/12 10:56 Location Code: LBG-FARM Received by: SW 04/27/12 14:34

Rush Request: Standard Analyzed by: see "By" below

P.O.#: SDG ID: GBB78031

Phoenix ID: BB78050

Project ID: DELL

Client ID: 3C 0.5-0.75

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	85		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	390	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	390	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	390	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	112		%	05/01/12		MH	30 - 150 %
% TCMX	100		%	05/01/12		MH	30 - 150 %

Page 15 of 18 Ver 1

Client ID: 3C 0.5-0.75

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis/Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 16 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca

Leggette, Brashears & Graham

Time

6 Executive Drive Farmington CT 06030

Matrix: SOLID Collected by: 04/26/12 11:10 Location Code: LBG-FARM Received by: SW 04/27/12 14:34

Rush Request: Standard Analyzed by: see "By" below

<u>Laboratory Data</u> SDG ID: GBB78031

Phoenix ID: BB78053

Project ID: DELL
Client ID: 3C 5-6

P.O.#:

Parameter	Result	RL	Units	Date	Time	Ву	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	370	ug/Kg	05/01/12		МН	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	670	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	90		%	05/01/12		MH	30 - 150 %
% TCMX	83		%	05/01/12		MH	30 - 150 %

Page 17 of 18 Ver 1

Client ID: 3C 5-6

Parameter Result RL Units Date Time By Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President

Page 18 of 18 Ver 1



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 03, 2012

QA/QC Data

SDG I.D.: GBB78031

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 199525, QC	Sample No: BB78011 (BB	78032 BB78034 BB78	3035 BI	B78036	BB78	039 BF	378041)		
Polychlorinated Biph	•	. 0002, 22. 000 ., 22.		2,000	, 22.0	007, 22	.,,		
PCB-1016	ND	108	102	5.7				40 - 140	30
PCB-1221	ND		.02	0.7				40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	119	113	5.2				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	120	102	105	2.9				30 - 150	30
% TCMX (Surrogate Rec)	102	90	92	2.2				30 - 150	30
QA/QC Batch 199536, QC	Sample No: BB78064 (BB3	78049, BB78050, BB78	3053)						
Polychlorinated Biph	enyls - Solid								
PCB-1016	ND	102	105	2.9				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	109	111	1.8				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	97	96	105	9.0				30 - 150	30
% TCMX (Surrogate Rec)	86	85	93	9.0				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis/Shiller, Laboratory Director

May 03, 2012

Thursday, May 03, 2012

Requested Criteria: GAM, GBM, I/C, RC

Sample Criteria Exceedences Report

GBB78031

Fa

Factored RL Analysis

SampNo LocCode Acode Phoenix Analyte Units ST State Category

Criteria Name

Result RL Criteria

RL Analysi Criteria Units

Page 1 of 1

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

^{***} No Data to Display ***

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. Client: LBG-FARM Project Location: DELL **Project Number:** Laboratory Sample ID(s): BB78031, BB78032, BB78033, BB78034, BB78035, BB78036, BB78037, BB78038, BB78039, BB78040, BB78041, BB78042, BB78043, BB78044, BB78045, BB78046, BB78047, BB78048, BB78049, BB78050, BB78051, BB78052, BB78053, BB78054 **Sampling Date(s):** 4/26/2012 **RCP Methods Used:** 6010 1311/1312 7000 7196 7470/7471 8081 ☐ EPH TO15 **✓** 8082 8270 9010/9012 □ VPH 8151 8260 ETPH For each analytical method referenced in this laboratory report package, were all ✓ Yes □ No specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP methodspecific Reasonable Confidence Protocol documents? Were the method specified preservation and holding time requirements met? ✓ Yes □ No EPH and VPH methods only: Was the VPH or EPH method conducted without 1b. ☐ Yes ☐ No **✓** NA significant modifications (see section 11.3 of respective RCP methods) 2. Were all samples received by the laboratory in a condition consistent with that ✓ Yes No. described on the associated Chain-of-Custody document(s)? Were samples received at an appropriate temperature (< 6 Degrees C)? 3. ✓ Yes □ No □ NA Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol 4. ✓ Yes □ No documents achieved? Were reporting limits specified or referenced on the chain-of-custody? 5a. ✓ Yes No. Were these reporting limits met? 5b. ✓ Yes □ No □ NA For each analytical method referenced in this laboratory report package, were results 6. ✓ Yes □ No □ NA reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in the data set? 7. ☐ Yes 🗹 No □ NA Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence". I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowlegde and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. Date: Thursday, May 03, 2012 Authorized Printed Name: Maryam Taylor Signature:

Position: Project Manager



587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

May 03, 2012

SDG I.D.: GBB78031

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd8 05/01/12-1 (BB78032, BB78034, BB78035, BB78036, BB78039, BB78041,

BB78049, BB78050, BB78053)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn Position: Chemist Date: 5/1/2012

QC Comments: QC Batch 99536 04/30/12 (BB78049, BB78050, BB78053)

The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

QC (Batch Specific)

Sample No: BB78011, QA/QC Batch: 199525
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None.
Sample No: BB78064, QA/QC Batch: 199536
All LCS recoveries were within 40 - 140 with the following exceptions: None.
All LCSD recoveries were within 40 - 140 with the following exceptions: None.
All LCS/LCSD RPDs were less than 30% with the following exceptions: None

CHAIN OF CUSTODY RECORD

Ō ŏ

Pg

Temp

040 Data Delivery: 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Fax (860) 645-0823	645-8726
mail: info@phoenixlabs.com Fax (860) 645-0823	Client Services (860) 645-8726

Email:

Customer:	Leggette, Brashears & Graham, Inc.	raham h	<u>ي</u>		Project:	DEI I		, d	Project P.O.		
Address:	6 Executive Drive Suite 109	60			Report to:		LBG	H.	Phone #:	(860) 678-0404	74
	Farmington, CT 06032				Invoice to:	o: Mike Susca, LBG	LBG	Fa	Fax #:	(860) 678-0606	96
Sampler's Signature	Client Sample - Information - Identification	- Identifica	ation Date:		Analysis Request				The design	THOO THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE	Hood He
Matrix Code; DW=drinking water GW=groundwater	r WW=wastewater S=soil/solid SL=sludge A=air	olid O=oil X=other	her		Fell						84 140 255 - 140
Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	100 SEC	\	+++++	100 to 10	10 7 to 0	CONTRACTOR OF THE PARTY OF THE	TO BE BERGER TO SEE SAN TO SEE SA
78031	53 45	S	4/26/2012	एंसट	>			-			
78033	5.3 5.6	ဟ	4/26/2012	der	×			-			
78033	53 6-1	S	4/26/2012	953	×			-			
78034	53 72	S	4/26/2012	वदय	×			-			
78035	1c 0.1c-0.5	S	4/26/2012	2) (1)	×			-			
7836	20 015-0.75	တ	4/26/2012	100)	×			-			
78037	2-)	S	4/26/2012	2101	×			-			
78038	20 M-S	S	4/26/2012	0201	×			-			
78039	20 5-6	S	4/26/2012	إ0حر	×			~			
04036	20 6-7	S	4/26/2012	920)	×			7-			
12026	S-L 72	တ	4/26/2012	520	×			+			
てよりまし	20 9-9	S	4/26/2012	1030	×			·			
Refinatished by	Accepted by:			Date:	Time:	Turnaround:	1	<u>WA</u>		Data Format	
	The state of the s			2/4	7/15	(320 10ay*	XI_	MCP Certification	fication	Excel	
t				<u> </u>	7/2 10	1.34 0 3 Days*		GW-2		GIS/Key	
				=		Standard	p. g	GW-3		EQuIS	
Comments, Specia	Comments, Special Requirements or Regulations:	ns:			-		Res. DEC	S-2		Data Dackago	
Please freeze all held pending initial results.	samples.	sampl	es may be	analyze	Held samples may be analyzed for PCBs	APPLIES		MWRA eSMART Other	MART	ASP-A Seduced Deliv.	Deliv. *
						State	State where camples ware collected:		CT	NJ Hazsite EDD Phoenix Std Report	EDD
					76.	סומוב -	Mere sampies were		-	other	

The state of the s	Temp (0 Pg ← of 10 Data Delivery: Fax #	Project P.O:		Fax #: (860) 678-0606				1 0 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1		-	-	-	-	1	-	-	1				MA Data Format	MCP Certification Excel		GW-3 EQuIS	S-2 Data Package	'RA eSMART er		-
	CHAIN OF CUSTODY RECORD 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040 Email: info@phoenixlabs.com Fax (860) 645-0823 Client Services (860) 645-8726	DELL	Mike Susca, LBG	Mike Susca, LBG									,								Turnaround: CT/RI	The state of the s	2 Days*		* SCIRCHARGE Ind DEC	APPLIES Res. Criteria Other	State where samples were collected:	
	CHAIN OF CUSTO 524 & CONTO 524 & CONTO 587 East Middle Turnpike, P.O. Box Email: info@phoenixlabs.com Client Services (8)	Project: DE	i i	Invoice to: Mi	Analysis	Rednest	To Take	aled 400% Sold	-	× × ×	13 X	7	X 251	104c	×	× 2,	×	×	× 0	× .	Date: Time:	4/27/12 1300	15:41 21/421x			analyzed for PCBs		
The second secon	Inc.	ıham, Inc.	6		dentification	Date:	id O=oil X=other	Sample Date Time Matrix Sampled Sampled	4/26/2012	s 4/26/2012 1042	S 4/26/2012 (0 ¹⁴)	S 4/26/2012 (044	S 4/26/2012 1045	s 4/26/2012 [0	S 4/26/2012 1058	S 4/26/2012 (056	s 4/26/2012 اوجو	S 4/26/2012 1054	s 4/26/2012 1110	s 4/26/2012 (("					ió	samples may be anal		
	PHOENIX Environmental Laboratories, Inc.	Leggette, Brashears & Graham, Inc	6 Executive Drive Suite 109	Farmington, CT 06032	Client Sample - Information - Identification		WW=wastewater S=soil/solid SL=sludge A=air	Customer Sample Identification		11-0) 72	2/-11 22	5)-2) 77	2C 13-14	2C 14-15	36 0,05-0.5	36 0.5-0.15	36 1-2	36 45	36 5-6	36 6-7	Accepted by:				Comments, Special Requirements or Regulations:	Please freeze all held samples. Held samples may be bending initial results		
CR. PRO SCI.	PHO Environmen	Customer: Le	Address: 6	ш.	Sampler's Signature		Matrix Code: DW=drinking water GW=groundwater	Phoenix Sample #	5h08L	7	78045	78046	7897	28048	78049	78050	78051	78054	2892	78054	Relinodished by	1/4/1/201			/ Comments, Special R	Please freeze all held bending initial results	:	